



## Safety Datasheet SBS Passivator

Section 1: Product ID, use and supplier			
<b>1.1 Product identification</b>	SBS Passivator		
<b>1.2 Use</b>	Stainless steel or other nickel alloys passivating Should not be used for other metals		
<b>1.3 Supplier and contact</b>	Scan Bejds Steel A/S, Essen 6B, DK-6000 Kolding, Tlf: +45 <b>75 500 133</b> Contact: Hans Bjerrum Andersen, hba@scanbejds.dk Website: <a href="http://www.scanbejds.dk">www.scanbejds.dk</a>		
<b>1.4 Emergency contact</b>	Contact the local safety authority or <a href="http://www.bispebjerghospital.dk/giftlinjen">www.bispebjerghospital.dk/giftlinjen</a> <div style="border: 1px solid black; padding: 5px; text-align: center;">  <b>Bispebjerg Hospital</b>  <span style="color: red; font-weight: bold;">AKUTHJÆLP VED FORGIFTNING</span>  <span style="color: green;">Ring til Giftlinjen på tlf. 82121212 døgnet rundt</span> </div>		
Section 2: Hazards identification			
<b>2.1 Classification of medium</b>	<table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 50%; border-right: 1px solid black; padding: 5px;">           New classification acc to EC regulation no.: 1272/2008 [CLP], (see point.16.)             Skin corrosive, cat. 1A; H314         </td> <td style="width: 50%; padding: 5px;">           Old classification acc. to directive 1999/45/EC, (see point.16.)             Corrosive: C; R-sentence 35         </td> </tr> </table>	New classification acc to EC regulation no.: 1272/2008 [CLP], (see point.16.)  Skin corrosive, cat. 1A; H314	Old classification acc. to directive 1999/45/EC, (see point.16.)  Corrosive: C; R-sentence 35
New classification acc to EC regulation no.: 1272/2008 [CLP], (see point.16.)  Skin corrosive, cat. 1A; H314	Old classification acc. to directive 1999/45/EC, (see point.16.)  Corrosive: C; R-sentence 35		
<b>2.2 Icons Hazard pictograms</b>	<div style="text-align: center;">  </div> <p style="text-align: center;"><b>CORROSIVE (ÆTSENDE)      <u>Warning: DANGER</u></b></p> <p><b>Danger sentences:</b> H314 Causes severe burns of skin and eye injuries.</p> <p><b>Safety demands:</b> P260 Don't breathe dust or fumes P280 Use protective gloves / protective clothes / eye protection / face protection P285 By insufficient ventilation, use respiratory protection. P303+P361+P353 BY CONTACT WITH SKIN (or hair): Remove dirty clothes. Flush/brush with plenty clean water. P305+P351+P338 BY EYE CONTACT: Flush carefully with water in several minutes. Remove eventually contact lenses, if easy. Continue flushing. P101 In case of needed medical care, bring the container or the label. P102+P404+P411 To be kept outside children's reach. To be kept in a closed area. Keep in room temperature, never above 40 °C</p> <p><b>Contains: 20-25% Nitric acid</b></p>		
<b>2.3 Other hazards</b>	No PBT hazards (biological) No vPvB hazards (accumulating and hard biological degradable)		

## Safety Datasheet SBS Passivator

### Section 3: Composition and information on content

#### 3.2 Mixture

#### Nitric acid 20-25%

Einacs no	CAS no	REACH no	Hazards.	Class (CLP)
231-714-2	7697-37-2	01-2119487297-23	O; R8 C; R35	Cor liquid. 3; H272 Skin cor. 1A; H314

(See codes point 16)

### Section 4: First aid measures

#### 4.1 First aid description

#### Skin Contact:

Remove contaminated clothes. Rinse immediately with plenty fresh water. If the irritation do not stop, contact a doctor and show this material safety data sheet.

#### Eye Contact:

Rinse immediately with plenty of water for at least 15 minutes. Thereafter consult an eye-doctor. Show this material safety data sheet .Remove eventually contact lens.

#### Inhalation:

Breathe fresh air. Seek medical attention if the symptoms don't immediately disappear. Show this material safety data sheet. Keep the person in surveillance.

#### Ingestion:

Flush the mouth. Drink plenty of milk or water. Do not provoke vomiting. Seek medical care. Show this material safety data sheet.

#### 4.2 Symptoms. Immediate and after

#### Skin Contact:

There is no immediate pain, with skin contact, but the acids will slowly work its way into the skin, if not removed immediately. Untreated skin contact can cause deep, painful and slow healing wounds Repeatedly contact causes risk off chronic skin damage.

#### Eye Contact:

The product is very corrosive and painful. Risk of irreparable eye damage.

#### Inhalation:

Inhalation of fumes could cause aches, coughs and difficulty to breathe. Risk of oedema on the lungs. (within 24-48 hours)

#### Ingestion:

The product is highly corrosive and can cause a burning pain. Risk of vomiting, breath problems and illness.

#### 4.3 Immediate treatment

Flush with plenty water evt. Milk

## Safety Datasheet SBS Passivator

Section 5: Fire fighting	
<b>5.1 Extinguishing</b>	Use suitable extinguisher after the surroundings, foam, powder, mist or sand. The material is not flammable.
<b>5.2 Extraordinary hazards by fire and passivator</b>	By high heat, sour gasses can occur, like acid-vapor. Passivator acid in contact with base metals, can develop smaller amounts of Hydrogen and risk of explosion.
<b>5.3 Protective gear by fire fighting</b>	Use breath protection with gasfilter type B and dustfilter type P2. Protective clothes and footwear.
Section 6: Accidental release measures	
<b>6.1 Personal protection</b>	Use sensibly full covering working clothes. PVC-gloves (EN388) or Nitrile gloves (EN374) and safety goggles. If unvented acid fumes occur, use halfmask (EN140) with multifilter, colorcode brown+gray+yellow+green (EN14387) See point 8.2 for more information. For longer working periods', use turbofilter or fresh air supplied filter acc to regulations
<b>6.2 Environmental precautions</b>	Avoid any kind of waste to sewer. Stop the release. Secure drain gates
<b>6.3 Methods and materials for securing and cleaning</b>	Neutralize with chalk or diluted lye (5-10% NaOH). Soak up with sand or cat litter. Collect and dismiss as dangerous goods acc. to the regulations of the work site. Rinse with plenty water. Avoid the waste to get in contact with any imcompatible products (see point 10) Eventual release to public sewer has to be immidiate reported to local authority.
<b>6.4 Reference to other points</b>	See section 1 for emergency contact, section 8 for personal protection and section 13 for handling of wastewater and remanences.
Section 7: Handling and storing	
<b>7.1 Safety precautions for safe handling</b>	<b>Handling:</b> Acid products is only to be handled by trained personnel, knowing all relevant hazards. By handling of opened (or broken) containers, the same safety rules, as for working, is applied. <b>See point 8.2</b>
<b>7.2 Safety precautions for safe storing</b> Continued <b>Safety precautions for safe storing</b>	<b>Storing:</b> To be stored safe and outside reach of children. Not with together with food, animal feed, medical equipment and similar. Also not together with larger amounts of lye or similar. To be stored in dry conditions by temp. 0-40°C, optimal by 15-30 °C. No direct sun. Good ventilation. Storing only in closed original packing.
<b>7.3 Use</b>	The product is only for stainless steel use.

## Safety Datasheet SBS Passivator

### Section 8: Exposure control and personal protection

#### 8.1 Control parameters

#### Border limits expotion:

#### Nitric acid:

	8 h mg/m <sup>3</sup>	8 h ppm	15 min. mg/m <sup>3</sup>	15 min. ppm
Denmark	5	2	10	4
Germany	-	-	2,6	1
Norway	5	2	-	-
Sweden	5	2	13	5
EU			2,6	1

See other countries here: <http://limitvalue.ifa.dguv.de/>

#### 8.2 Exposure-control /personal protection

#### Precautions by use:

Avoid direct contact with the product. Ensure good ventilation. Unhindered access to shower, rinse water and eye-rinse is needed. By work away from permanent installations, always bring sufficient amounts of clean water in easily handled containers and bottles. Eating, drinking and smoking should not take place and the work place. Always clean up environment and tools with plenty of water, when the work is finished.

#### Personal protection:

Use sensible, full covering, working clothes. By spraying use PVC rainclothes. Safety goggles. PVC-gloves (EN388) or Nitrile gloves (EN374) Check gloves datasheet for penetration time and change often. By risk of fumes, use halfmask (EN140) with multifilter, colorcode brown+gray+yellow+green (EN14387) Turbo filter or fresh air supply mask



Before work and during work, control for holes in gloves, clothes and footwear. Change immediately if any holes found.

By taking of nitrile gloves, flush them and take them off by rolling the outside in.

### Section 9: Physical and chemical properties

#### 9.1 Physical and chemical properties


#### General information:

State	Liquid
Colour	Clear colourless
Smell	Sticky
Smell limit point	Not known
pH-value by 20°C	0
Flamme point	Not relevant
Flammability	Not flammable
Boilling point	~105 °C
Ekspllosion danger	No
Ekspllosion limits	Not relevant
Solubility	100% in water
Steam pressure	<0,01 kPa
Density	1,2-1,4 kg/l by 20 °C
Viscosity	Unknown

## Safety Datasheet SBS Passivator

<b>9.2 Other information</b>	<b>No further relevant information</b>
<b>Section 10: Stability and reactivity</b>	
<b>10.1 Reactivity</b>	Acid, reactive with determinant materials.
<b>10.2 Chemical stability</b>	Stable and no developing of heat, used as specified.
<b>10.3 Possible dangerous reactions</b>	Reacts strongly when mixed with bases. Reacts to contact with less precious metals (see 10.5) Hydrogen can develop with the following explosion hazard.
<b>10.4 Conditions to avoid</b>	Heating and direct sunlight
<b>10.5 Incompatible materials</b>	Liquid and vapor attack less precious metals such as iron, zinc, and aluminum. Glasses and silicates are attacked and surfaces get frosted over time.
<b>10.6 Dangerous decomp. products</b>	Hydrogen Gas
<b>Section 11: Toxicological information</b>	
<b>11.1 Information about the toxicological effects</b>	<p><b>Skin contact:</b> The skin is painfully etched, turns red and can get blisters. The wound may become moist.</p> <p><b>Eye contact:</b> Splashes in the eye, releases intensive pain, like soap in the eye. Untreated, permanent damage of vision can take place.</p> <p><b>Inhalation:</b> Inhalation of fumes could cause aches, coughs and difficulty to breathe. Risk of oedema on the lungs. (within 24-48 hours) Repeatedly inhalation can cause etching on the teeth's and chronic breathing diseases.</p> <p><b>Ingestion:</b> The product is highly corrosive and can cause a burning pain. Risk of vomiting, breath problems and illness. Risk of chronic damage of teeth's and breathes.</p> <p><b>Acute toxiness:</b> No</p> <p><b>Etching and irritation:</b> As described above.</p> <p>No known CMR-effects, by accessible data (<u>Cancerogenous</u>, mutagene, and reproductive)</p>
<b>Section 12: Ecological information</b>	

## Safety Datasheet SBS Passivator

<b>12.1 Toxicity</b>	Larger amounts of the product lower the pH-value in water environment, with risk of a harmful effect. Not considered as harmful for the environment.
<b>12.2 Persistence and degradability</b>	The product is fully degradable and dissolve immediately in water
<b>12.3 Possible bioaccumulation</b>	Not relevant, unorganic medium
<b>12.4 Pollution of ground</b>	The product dissolve in water and can be spread in water systems
<b>12.5 Result of PBT and vPvB examination</b>	Not a PBT or a vPvB. See evt. REACH Annex XIII
<b>12.6 Hormone disruptors</b>	None known
<b>12.7 Other adverse effects</b>	No harmful effects are known.
<b>Sektion 13: Disposal</b>	
<b>13.1 Disposal methods</b>	All wastewater and remanences from the product is to be considered as dangerous goods and disposed acc. to applicable regulations.
<b>Sektion 14: Transportation information</b>	
<b>Danger labels</b>	
<b>14.1 UN</b>	<b>UN 2031</b> (ADR, IMDG, IATA)
<b>14.2 Forsendelsesbetegnelse</b>	<b>Corrosive liquid</b>
<b>14.3 Transport risk and classifying</b>	<b>8</b>
<b>14.4 Packaging group</b>	<b>II</b>
<b>14.5 Environmental risks</b>	<b>No</b>

## Safety Datasheet SBS Passivator

<b>14.6</b> <b>Special precautions for the user</b>	<b>None, except for the standard dangerous goods precautions</b>
<b>14.7</b> Bulktransport acc. appendix II i Marpol73/78 og IBC koden	Non relevant
<b>Section 15: Regulatory information</b>	
<b>15.1</b> <b>Safety, health and environmental legislation for the product</b>	<b>No specific rules</b>
<b>15.2</b> <b>Chemical safety assessment</b>	<b>Not accessible</b>
<b>Section 16: Other information</b>	
<b>Abbreviations</b>	<p>EINECS: <b>E</b>uropean <b>I</b>nventory of <b>E</b>xisting commercial <b>C</b>hemical <b>S</b>ubstances  CAS: <b>C</b>hemical <b>A</b>bstract <b>S</b>ervice  REACH: <b>R</b>egistration. <b>E</b>valuation. <b>A</b>uthorisation. Of <b>C</b>hemicals</p> <p>LC50: <b>L</b>ethal <b>C</b>oncentration, <b>50</b> %</p> <p>ADR: <b>A</b>ccord européen sur le transport des marchandises <b>D</b>angereuses par <b>R</b>oute  IMDG: <b>I</b>nternational <b>M</b>aritime code for <b>D</b>angereous <b>G</b>oods  IATA: <b>I</b>nternational <b>A</b>ir <b>T</b>ransport <b>A</b>ssociation</p>
<b>Changes to previous version</b>	<b>Edition: 14-12-2019, replaces version 11-01-2019</b>
<b>Moreover</b>	Refer to the website for other products and other languages